

Quicke

IMPLEMENTS

FOR FRONT LOADERS,
TELEHANDLERS AND WHEEL LOADERS




QUICKE TINES

We use our own tines.


Forged tines feature high quality, replaceable 500 HB bolt on forged tines. Our own forged tines are called Q-tines and are available in straight or curved versions.




1




2




3




4



5



6



1. Sleeve chamfer and nut in complete match for perfect fit

2. Perfect ramp between thread and cone for longer lifetime

3. Perfect match between sleeve and tine for longer lifetime

4. Semi-rounded shape for optimal performance

5. Shorter tip for increased wear resistance

6. Thoroughly tested in lab and field to achieve the superiority of the Q tine

We also offer hardened welded profile cut tine in straight or curved.

Profiled tines are 400 HB cut tines welded in tine carriage providing excellent wear capabilities.



GET MORE WORK DONE IN LESS TIME WITH Q-COMPANION®




SAVE TIME


SelectoFix is a great time saving option if the front loader has a third or a fourth service. With a simple movement, the implement hoses are coupled, easily and without any problems, even when the system is pressurised. Your work continues within seconds. The connections are easy to clean, reducing the risk of dirt finding its way into the tractor's hydraulic system.



CONTENTS

BUCKETS	4-27	Special Clearing Bucket SC M+	24	BALE FORKS	39-44
Buckets Overview	4-5	Precision Bucket	26	Bale Fork S+115	40
Hook Systems & accessories	6-9	Grading Bucket	26	Bale Fork M 140	40
Bucket Type S	10-13	Grading Bucket XL	26	Bale Fork M 180	40
SXL+	12	Grading Bucket S	26	Bale Fork L 200	41
SL+	12	Stone Fork	27	Bale Fork L+ 150 (fixed tines)	41
SM+	12	Stone Fork XL	27	Bale fork L+ 150 (folded tines)	41
SM	12			Bale Fork XL+ 200	42
Bucket Type G	14-17	MANURE AND SILAGE	28-35	Bale Spike	44
GXL+	16	Powergrab	29	Silosplit	44
GL+	16	Powergrab XL	29		
GM+	16	Silocut M+	30	LIFTING IMPLEMENTS	45-49
GM	16	Silocut L+	31	Pallet Fork C	46
GS+	17	Silocut XL+	31	Pallet Fork S	46
GS	17	Multibenne S+	32	Pallet Fork M	46
Bucket Type V	18-21	Multibenne M+	32	Pallet Fork L	47
VXL+	20	Multibenne XL	32	Pallet Fork XL	47
VL+	20	Silograb S+	34	Big Bag Lifter	48
VL	20	Silograb M+	34	3-point Linkage	48
VM	20	Silograb XL	34		
VS	21	Manure Fork M+	35	COUNTERWEIGHT	49
VS+	21	Manure Fork XL	35	Q-Bloq Counterweight	49
Compact & Utility Buckets	22-23			Counterweight	49
CE/U Bucket	22	BALE HANDLING	36-38		
Multi Purpose Compact Bucket	22	Unigrip	37	THE SUPPORT	51
Multi Purpose Utility Bucket	22	Flexigrip	37		
Special Buckets	24-27	Flexibal	37	HOOKS SYSTEMS	52
Multi Purpose Bucket	24	Quadrogrip TS	38		
High Tip Bucket	24	Topgrip	38		



	S	G	V
			
Size & performance	SXL +	GXL +	VXL +
	SL +	GL +	VL +
	SM +	GM +	VL
	SM	GM	VM
	-	GS +	VS +
	-	GS	VS
	Type of bucket		

Model with a + are available with Bolt on Hooks and accessories.

BUCKETS

EXACTLY THE RIGHT BUCKET

Quality and stability, productivity and safety: For Quicke, there are many good reasons – and now even more. We have improved our bucket range and are very proud to introduce the next generation! The adjacent matrix is a quick reference to the three basic types of bucket that are available and depending upon your needs, you will find the optimal solution: for all your individual loader requirements. Whether it's operating conditions, size, material type or a specialist bucket for all applications. Simply choose Quicke – always the right choice.

OUR NEW RANGE OF BUCKETS:






HOOK SYSTEMS & ACCESSORIES







A VARIETY OF HOOK SYSTEMS FOR A VARIETY OF LOADERS








Quicke Implements come with welded Euro hooks, or some Implements which are marked with Quicke BOH System are with Bolt on Hook systems. Implements with welded hooks do always have a total price incl. Hooks. Implements with the BOH System are marked as Base Implements. Hook systems and other Accessories have to be added on the price. Through the variety of hook systems with different types of construction there are 5 categories and 2 price groups of BOH systems.



EXPLANATION OF THE SYMBOLS	
	Available welded Hooks
	Bolt on Hook, available BoH kits
	Pressure relief valve needed if the working pressure of the loader is higher

AVAILABLE ACCESSORIES FOR IMPLEMENTS WITH +

							
Bucket Type	Turnable bolt on HB500	Cutting edge plastic	Cutting edge serrated		Bolt on bucket teeth's	Spill guard	Wall saver plastic
SXL + / SL + / SM +	X				X	X	
SM +	X	X	X		X	X	
VXL + / VL +	X	X	X			X	X
GXL + / GL + / GM + / GS +	X	X	X			X	X

HOOK SYSTEMS	
CATEGORY	
	40 x 80
	60 x 80
	80 x 80
	Rail S/L
	M24
	80 x 80 XL
	M16 S M16 L

Please find the available hook systems for vehicles with the help of our configurator www.alo.force.com.



ALWAYS THE BEST FIT

Whether it's a small yard loader or an agricultural wheel loader, you can be sure with our modular bucket range that you will always get the perfect fit and function for machine.

With more than 60 bolt on hooks available, Quicke offers a wide range of options for your loader. Our promise: Quicke always fits!

- ! Quicke offers both welded and bolt on types of hooks (BoH).
- ! Quicke offers a wide range of hook types, adapted to a wide range of loader brands and models, but also especially adjusted hooks to suit loaders with e.g. Z-linkages, large tyres and limited roll back angles.
- ! Quicke use "Cutting edge-technology" to ensure that your Bucket get perfect fit and function on your loader.
- ! Quicke offer easy assembly of all available bolt on cutting edges. The tightening of the bolts is done completely from the top without use of nuts as the threads are integrated in the bolt on cutting edge.
- ! Quicke offers bolt on spill guard that is easy to install pre-drilled holes. The loader's tool carrier is thereby protected from overflowing material.
- ! Quicke offer plastic side "wall savers" to prevent damage to walls. Bucket side sheets come prepared for wall-savers that are easily bolted on.



BoH M16 for all M and S type buckets



BoH M24 for all XL and L type buckets




Widths made for your requirements



A SAFE CHOICE

Quality: From computer simulation to field testing with the heaviest loads to the hard endurance test on the fatigue test rig – Quicke's robust development program tests the bucket design and material combinations in theory and practice. We leave nothing to chance.

Accessories: Choose your bucket with the right accessories: customer-specific solutions are our strength. Best of all, Quicke buckets are designed to be particularly easy to maintain, and when it comes down to it, Quicke Parts are quickly delivered wherever you are.



- 1 Conical bucket design for rapid & complete emptying of the bucket.
- 2 Heavy box-section design provides torsional strength for the bucket, at the same time covering the rigid BoH system leaving bucket interior clean for easy filling.
- 3 500 Brinell hard cutting edges and thick well-placed wear plates under the bucket increase bucket life allowing for greater productivity.
- 4 Large saddle plates on the bucket back that smoothly transfers the force of the loader to the bucket bottom and cutting edge.
- 5 All Quicke implements are painted and protected using the very latest powder coating technology.


“ We have restructured our bucket program to further improve the bucket design and increase the flexibility by offering additional BoHs. Furthermore, our selection of accessories allows you to 'Build your Bucket' by optimizing it for your particular needs. The result: The next generation buckets. Tailor-made for maximum productivity in agriculture.”



Henrik Jönsson, Product Manager Implements

BUCKET TYPE S

The concave gable design of the soil bucket allows excellent penetration into hard materials such as rocks, gravel, soil and sand. The bucket bottom is shorter than of other buckets but still long enough for full utilization of the bucket capacity.



SXL+		140	160	180	200	220	240	260	265	275	295
Width	cm									274	294
Depth	cm									129	129
Height	cm									133	133
Volume heaped	m³									2,50	2,70
Volume struck	m³									2,00	2,10
Weight (without BoH)	kg									1158	1216
SL+		140	160	180	200	220	240	260	265	275	295
Width	cm					219	239		264		
Depth	cm					105	105		120		
Height	cm					112	112		123		
Volume heaped	m³					1,30	1,40		2,00		
Volume struck	m³					1,00	1,10		1,60		
Weight (without BoH)	kg					634	669		789		
SM+		140	160	180	200	220	240	260	265	275	295
Width	cm		158	178	198	218	238	258			
Depth	cm		89	89	89	89	89	89			
Height	cm		75,5	75,5	75,5	75,5	75,5	75,5			
Volume heaped	m³		0,76	0,86	0,96	1,06	1,16	1,00			
Volume struck	m³		0,60	0,68	0,76	0,84	0,92	1,26			
Weight (without BoH)	kg		231	251	269	296	367	390			
SM		140	160	185	210	220	240	260	265	275	295
Width	cm			186	211						
Depth	cm			70,5	70,5						
Height	cm			67,5	67,5						
Volume heaped	m³			0,60	0,68						
Volume struck	m³			0,48	0,55						
Weight (without BoH)	kg			179	222						




1



2



3



4



5

Prepared for:

- 1 Bolt on reversible cutting edge
- 2 Bolt on plastic cutting edge
- 3 Bolt on serrated cutting edge
- 4 Bolt on teeth
- 5 Bolt on spill guard



SXL+

POWERFUL PREMIUM SOIL BUCKET PERFECT FOR WHEEL LOADERS

- Extremely strong and robust.
- Designed for heavy materials as gravel and soil.
- Available with various accessories and BoHs.

SXL+	275	295
Width (outside gables), cm	271	291
Depth (max. inside), cm	129	129
Height (max. inside), cm	133	133
Volume heaped, m³	2,50	2,70
Volume struck, m³	2,00	2,10
Weight, kg	1158*	1216*



Available accessories:
Cutting edge HB500
Bucket teeth
Spill guard


BoH
M24

SL+

POWERFUL PREMIUM SOIL BUCKET FOR WHEEL LOADERS AND LARGE FRONT END LOADERS

- Robust design that guarantees long service life.
- Designed for heavy materials as gravel and soils.
- Available with various accessories and BoHs.

SL+	220	240	265
Width (outside gables), cm	217	237	262
Depth (max. inside), cm	105	105	120
Height (max. inside), cm	112	112	123
Volume heaped, m³	1,30	1,40	2,00
Volume struck, m³	1,00	1,10	1,60
Weight, kg	634*	669*	789*



Available accessories:
Cutting edge HB500
Bucket teeth
Spill guard

BoH
M24

SM+

POWERFUL PREMIUM SOIL BUCKET FOR COMPACT WHEEL LOADERS AND FRONT END LOADERS

- Strong and versatile heavy material bucket.
- Ideal for Front loaders and compact wheel loaders.
- Available with various accessories and BoHs.


SM+	160	180	200	220	240	260
Width (outside gables), cm	158	178	198	218	238	258
Depth (max. inside), cm	86	86	86	86	86	86
Height (max. inside), cm	75,5	75,5	75,5	75,5	75,5	75,5
Volume heaped, m³	0,76	0,86	1,00	1,06	1,16	1,26
Volume struck, m³	0,60	0,68	0,76	0,84	0,90	1,00
Weight, kg	231*	251*	269*	296*	367*	390*



Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Spill guard

Euro
SMS

BoH
M16 L



Euro
Skid
Steer

SM

A STRONG BUT STILL LIGHT SOIL BUCKET

- Ideal for heavy materials.
- Bucket design allows handling of heavy materials.
- Well suited for machines with limited rollback force.

SM	185	210
Width (outside gables), cm	186	211
Depth (max. inside), cm	70,5	70,5
Height (max. inside), cm	67,5	67,5
Volume heaped, m³	0,60	0,68
Volume struck, m³	0,48	0,55
Weight, kg	179**	222**


* without Bolt on Hooks ** Euro

Scan to see
our S Series!




BUCKET TYPE G

The farmers favorite – the general purpose bucket. This bucket type can be used for most of everyday work at the farm. The slight convex gable design allows good penetration into tougher materials while the long bucket bottom ensures maximum filling of the bucket – all to increase your productivity.



GXL +		90	100	120	140	160	180	200	220	240	260
Width	cm							198	218	238	258
Depth	cm							140	140	140	140
Height	cm							105	105	105	105
Volume heaped	m³							1,75	1,94	2,11	2,31
Volume struck	m³							1,40	1,55	1,69	1,85
Weight (without BoH)	kg							497	529	588	619
GL +		90	100	120	140	160	180	200	220	240	260
Width	cm						178	198	218	238	258
Depth	cm						128	128	128	128	128
Height	cm						94	94	94	94	94
Volume heaped	m³						1,23	1,40	1,55	1,71	1,90
Volume struck	m³						1,00	1,12	1,25	1,37	1,50
Weight (without BoH)	kg						420	448	473	529	588
GM +		90	100	120	140	160	180	200	220	240	260
Width	cm						178	198	218	238	
Depth	cm						104,5	104,5	104,5	104,5	
Height	cm						78	78	78	78	
Volume heaped	m³						1,02	1,14	1,27	1,40	
Volume struck	m³						0,81	0,90	0,99	1,09	
Weight (without BoH)	kg						300	324	357	380	
GM		90	100	120	140	165	190	215	245	240	260
Width	cm				138	163	188	213	243		
Depth	cm				81,5	81,5	81,5	81,5	81,5		
Height	cm				71,5	71,5	71,5	71,5	71,5		
Volume heaped	m³				0,54	0,65	0,72	0,82	0,95		
Volume struck	m³				0,45	0,54	0,60	0,69	0,79		
Weight (without BoH)	kg				146	165	205	251	293		
GS+		90	100	120	140	160	180	200	220	240	260
Width	cm	88	98	118	138	158					
Depth	cm	96	96	96	96	96					
Height	cm	74,5	74,5	74,5	74,5	74,5					
Volume heaped	m³	0,32	0,36	0,44	0,53	0,61					
Volume struck	m³	0,26	0,29	0,36	0,42	0,48					
Weight (without BoH)	kg	108	116	135	180	197					
GS		90	100	120	135	160	185	200	220	240	260
Width	cm				137		187				
Depth	cm				78,4		78,4				
Height	cm				79		79				
Volume heaped	m³				0,51		0,60				
Volume struck	m³				0,40		0,71				
Weight (without BoH)	kg				126		166				



Prepared for:

- 1 Bolt on reversible cutting edge
- 2 Bolt on plastic cutting edge
- 3 Bolt on serrated cutting edge
- 4 Bolt on wall saver
- 5 Bolt on spill guard



GXL+

PREMIUM GENERAL PURPOSE BUCKET FOR ALLROUND WORK

- Premium General Purpose Bucket for allround work.
- Ideal for Telehandlers but works good with Compact wheel loaders and large front end loaders.
- Available with various accessories and BoHs.

GXL+	200	220	240	260
Width (outside gables), cm	198	218	238	258
Depth (max. inside), cm	136,5	136,5	136,5	136,5
Height (max. inside), cm	101,5	101,5	101,5	101,5
Volume heaped, m³	1,75	1,94	2,11	2,31
Volume struck, m³	1,40	1,55	1,69	1,85
Weight, kg	497*	529*	588*	619*

Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Wall saver
Spill guard

BoH
M24

GL+

HIGHLY MODULAR GENERAL PURPOSE BUCKET FOR ALLROUND WORK

- Highly modular General Purpose Bucket for allround work.
- Ideal for Telehandlers but works good with Compact wheel loaders and large front end loaders.
- Available with various accessories and BoHs.

GL+	180	200	220	240	260
Width (outside gables), cm	178	198	218	238	258
Depth (max. inside), cm	124,5	124,5	124,5	124,5	124,5
Height (max. inside), cm	90,5	90,5	90,5	90,5	90,5
Volume heaped, m³	1,23	1,40	1,55	1,71	1,90
Volume struck, m³	1,00	1,12	1,25	1,37	1,50
Weight, kg	420*	448*	473*	529*	558*

Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Wall saver
Spill guard

BoH
M24

GM+

GENERAL PURPOSE BUCKET FOR SMALLER TELEHANDLERS, COMPACT WHEEL LOADERS AND LARGE FRONT LOADERS

- Conical shape and the straight gable design offers good penetration into tough materials.
- Ideal for Telehandlers, Compact wheel loaders and large front end loaders.
- Available with various accessories and BoHs.

GM+	180	200	220	240
Width (outside gables), cm	178	198	218	238
Depth (max. inside), cm	104,5	104,5	104,5	104,5
Height (max. inside), cm	78	78	78	78
Volume heaped, m³	1,02	1,14	1,27	1,40
Volume struck, m³	0,81	0,90	0,99	1,09
Weight, kg	300*	324*	357*	380*

Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Wall saver
Spill guard

BoH
M16 L

GM

GENERAL PURPOSE BUCKET PERFECT FOR FRONT END LOADER USE

- Ideal for front end loaders.
- Highly versatlíe.
- Easy to fill and to empty.

GM	140	165	190	215	245
Width (outside gables), cm	138	163	188	213	243
Depth (max. inside), cm	81,5	81,5	81,5	81,5	81,5
Height (max. inside), cm	71,5	71,5	71,5	71,5	71,5
Volume heaped, m³	0,54	0,65	0,72	0,82	0,95
Volume struck, m³	0,45	0,54	0,60	0,69	0,79
Weight, kg	146**	165**	205**	251**	293**

* without Bolt on Hooks

** Euro

GS+

PREMIUM GENERAL PURPOSE BUCKET FOR ALLROUND WORK

- Designed for Yard Loaders and small compact wheel loaders.
- Available with various accessories and Bolt On Hooks.

Scan to see
it in action!



GS+	90	100	120	140	160
Width (outside gables), cm	88	98	118	138	158
Depth (max. inside), cm	82,5	82,5	82,5	82,5	82,5
Height (max. inside), cm	64,5	64,5	64,5	64,5	64,5
Volume heaped, m³	0,32	0,40	0,44	0,53	0,61
Volume struck, m³	0,26	0,29	0,36	0,42	0,48
Weight, kg	108*	116*	134,5*	180,5*	197*

Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Wall saver
Spill guard

BoH
M16 S/L

(M16 Lhook recommended on 140 and 160)

GS

A VERSATILE AND LIGHT GENERAL PURPOSE BUCKET

- A lighter version of the GM bucket.
- Highly versatile.
- Well suited for lighter tasks.

GS	135	185
Width (outside gables), cm	137	187
Depth (max. inside), cm	78,4	78,4
Height (max. inside), cm	79	79
Volume heaped, m³	0,51	0,71
Volume struck, m³	0,40	0,60
Weight, kg	126**	166**

* without Bolt on Hooks


** Euro

Scan to see
our G Series!



BUCKET TYPE V

When handling large volumes of low to medium density materials, the Quicke volume bucket is your best choice. The heavy convex gable design in combination with the large volume ensures maximum filling and prevents spillage of loose materials.



VXL+		160	180	200	220	240	245	260	265	285	305
Width	cm						246		263	286	305
Depth	cm						156		156	171	171
Height	cm						124		124	132	147
Volume heaped	m³						3,00		3,20	4,00	5,00
Volume struck	m³						2,40		2,60	3,20	4,00
Weight (without BoH)	kg						727		761	1120	1313

VL+		160	180	200	220	240	245	260	265	285	305
Width	cm		178	198	218	238		258			
Depth	cm		109	109	109	128		128			
Height	cm		103	103	103	113		113			
Volume heaped	m³		1,30	1,46	1,62	2,22		2,42			
Volume struck	m³		1,07	1,19	1,32	1,80		1,95			
Weight (without BoH)	kg		403	430	457	558		589			

VL		160	180	205	225	240	245	260	265	285	305
Width	cm			204	224		245		265		
Depth	cm			104	104		109,5		109,5		
Height	cm			83	83		98		98		
Volume heaped	m³			1,16	1,28		1,70		1,85		
Volume struck	m³			0,97	1,06		1,42		1,54		
Weight (without BoH)	kg			292	317		466		499		

VM		160	185	205	225	240	245	260	265	285	305
Width	cm		184	204	224		245		265		
Depth	cm		104,5	104,5	104,5		109,5		109,5		
Height	cm		98	98	98		98		98		
Volume heaped	m³		1,45	1,60	1,70		2,00		2,20		
Volume struck	m³		0,95	1,10	1,20		1,45		1,60		
Weight (without BoH)	kg		316	341	366		417		443		

VS		160	180	200	220	240	245	260	265	285	305
Width	cm			202	222						
Depth	cm			101,5	101,5						
Height	cm			83	83						
Volume heaped	m³			1,13	1,25						
Volume struck	m³			0,95	1,04						
Weight (without BoH)	kg			219	235						

VS+		//	90	100	120	140	160
Width	cm		90	100	120	140	160
Depth	cm		100	100	100	100	100
Height	cm		78	78	78	78	78
Volume heaped	m³		0,43	0,47	0,59	0,70	0,81
Volume struck	m³		0,35	0,39	0,47	0,56	0,64
Weight (without BoH)	kg		118	131	157	185	211

- Prepared for:
- 1 Bolt on reversible cutting edge
 - 2 Bolt on plastic cutting edge
 - 3 Bolt on serrated cutting edge
 - 4 Bolt on wall saver
 - 5 Bolt on spill guard



VXL+

PREMIUM VOLUME BUCKET FOR LIGHT MATERIALS

- Strong overall design and long service life.
- Available with various accessories and BoHs.
- Vision slots in the back covered with transparent plastic to prevent spillage.

VXL+	245	265	285	305
Width, cm	244	261	283	302
Depth (max. inside), cm	156	156	171	171
Height (max. inside), cm	124	124	132	147
Volume heaped, m³	3,00	3,20	4,00	5,00
Volume struck, m³	2,40	2,60	3,20	4,00
Weight, kg	727*	761*	1120*	1313*

Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Wall saver
Spill guard
HD cover for visitslots

BoH
M24

VL+

PREMIUM VOLUME BUCKET FOR LIGHT MATERIALS

- High Capacity Volume bucket.
- Perfect for Compact wheel loaders and large front end loaders.
- Available with various accessories and BoHs.
- Vision slots in the back covered with transparent plastic to prevent spillage (only with welded Euro and SMS).

VL+	180	200	220	240	260
Width, cm	178	198	218	238	258
Depth (max. inside), cm	107,5	107,5	107,5	124,5	124,5
Height (max. inside), cm	96	96	96	106	106
Volume heaped, m³	1,30	1,46	1,62	2,22	2,42
Volume struck, m³	1,07	1,19	1,32	1,80	1,95
Weight, kg	403*	430*	457*	558*	589*

Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Wall saver
Spill guard
HD cover for visitslots

BoH
M24

VL

A STRONG BUILT VOLUME BUCKET FOR LIGHTER MATERIALS

- Sturdy light material bucket.
- Well proven design.
- Ideal for snow removal with e.g. front end loaders.

VL	205	225	245	265
Width, cm	204	224	245	265
Depth (max. inside), cm	104	104	109,5	109,5
Height (max. inside), cm	83	83	98	98
Volume heaped, m³	1,16	1,28	1,70	1,85
Volume struck, m³	0,97	1,06	1,42	1,54
Weight, kg	292**	317**	466**	499**

VM

LIGHT MATERIAL BUCKET WITH HIGH VOLUME CAPACITY

- High volume capacity.
- Perfect for grains and wood chips.
- Good match for front end loaders and compact wheel loaders.

VM	185	205	225	245	265
Width, cm	184	204	224	245	265
Depth (max. inside), cm	104.5	104.5	104.5	109.5	109.5
Height (max. inside), cm	98	98	98	98	98
Volume heaped, m³	1.45	1.60	1.70	2.00	2.20
Volume struck, m³	0.95	1.10	1.20	1.45	1.60
Weight, kg	316**	341**	366**	417**	443**

* without Bolt on Hooks

** Euro

VS

A COMPETITIVE BUCKET MADE FOR LIGHT MATERIALS

- Competitive and light design.
- Ideal for light materials as grain.

VS	200	220
Width, cm	202	222
Depth (max. inside), cm	101,5	101,5
Height (max. inside), cm	83	83
Volume heaped, m³	1,13	1,25
Volume struck, m³	0,95	1,04
Weight, kg	219**	235**

** Euro

VS+

LIGHT MATERIALS BUCKET FOR LIGHT MATERIAL HANDLERS

- Light materials bucket.
- Designed for Yard Loaders and small compact wheel loaders.
- Available with various accessories and Bolt on Hooks.

VS+	90	100	120	140	160
Width, cm	90	100	120	140	160
Depth (max. inside), cm	100	100	100	100	100
Height (max. inside), cm	78	78	78	78	78
Volume heaped, m³	0,43	0,47	0,59	0,70	0,81
Volume struck, m³	0,35	0,39	0,47	0,56	0,64
Weight, kg	118*	131*	157*	185*	211*

(M16 Lhook recommended on 140 and 160)

Available accessories:
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
Wall saver
Spill guard

BoH
M16 S/L



COMPACT & UTILITY BUCKETS

CE/U Bucket

A GENERAL PURPOSE BUCKET DESIGNED FOR UP TO MEDIUM SIZED FRONT END LOADERS

- Designed for lighter material handlers.
- Simple, robust and competitive.

CE/U BUCKET	130 CE	150 CE	170 CE	185 U	215 U
Width, cm	132	152	172	185	215
Depth (max. inside), cm	66,5	66,5	66,5	74,6	74,6
Height (max. inside), cm	59	59	59	61	61
Volume heaped, m³	0,34	0,39	0,44	0,57	0,68
Volume struck, m³	0,28	0,32	0,36	0,47	0,55
Weight, kg	99**	109**	120**	173**	196**



Euro
Skid
Steer

Multi Purpose Compact Bucket

MULTI PURPOSE (ALSO CALLED 4-IN-1 BUCKET) BUCKET FOR COMPACT TRACTORS

- Maximum versatility.
- Designed for compact tractors.

MULTI PURPOSE COMPACT	140 MPC	170 MPC	180 MPC
Width, cm	137	167	182
Depth (max. inside), cm	40,8	40,8	40,8
Height (max. inside), cm	44	44	44
Volume heaped, m³	0,21	0,25	0,28
Volume struck, m³	0,16	0,19	0,21
Weight, kg	155**	177**	187**



** Euro
Only for Alö compact loader

Euro
Skid
Steer

Multi Purpose Utility Bucket

VERSATILE IMPLEMENT FOR MATERIAL HANDLING

- Versatile Implement used for many different applications.
- 4-in-1 bucket with size and capacity to suit medium size front loaders.
- All models are available with Euro and Skid steer hooks.

MULTI PURPOSE UTILITY	160 MPU	185 MPU	210 MPU
Width, cm	162	187	212
Depth (max. inside), cm	54	54	54
Height (max. inside), cm	60	60	60
Volume heaped, m³	0,40	0,47	0,53
Volume struck, m³	0,32	0,37	0,42
Weight, kg	264**	291**	318**



** Euro

Euro



SPECIAL BUCKETS

Multi Purpose Bucket

THE VERSATILE AND ROBUST TOOL FOR MATERIAL HANDLING

- Can be used for many different applications.
- Digging, grabbing, grading and bottom emptying.
- All models are available with Euro or Skid Steer hooks.

MULTI PURPOSE BUCKET	160 MP	185 MP	210 MP	160 MPT	185 MPT	210 MPT
Width, cm	161,6	186,6	211,6	161,6	186,6	211,6
Depth (max. inside), cm	67	67	67	67	67	67
Height (max. inside), cm	67,5	67,5	67,5	67,5	67,5	67,5
Volume heaped, m³	0,48	0,56	0,66	0,48	0,56	0,66
Volume struck, m³	0,38	0,44	0,50	0,38	0,44	0,50
Weight, kg	267**	401**	434**	373**	407**	441**

MP is without teeth
MPT = versatile Multi Purpose
Bucket with teeth
** Euro

High Tip Bucket

ALLOWS TIPPING AT A HIGHER LEVEL

- Increases loading height by 1.3m.
- Allows tipping at a higher level.
- Well suited for front loaders.


HIGH TIP BUCKET	180 XH	200 XH	220 XH	240 XH	260 XH
Width, cm	181	201	221	241	261
Depth (max. inside), cm	117,3	117,3	117,3	117,3	117,3
Height (max. inside), cm	104,5	104,5	104,5	104,5	104,5
Volume heaped, m³	1,51	1,75	1,96	2,18	2,40
Volume struck, m³	1,37	1,52	1,64	1,86	2,08
Weight, kg	514*	566*	600*	635*	669*

* without Bolt on Hooks
** Euro

Special Clearing Bucket SC M+

THE PROFESSIONAL TOOL FOR CLEARING SNOW AND OTHER LIGHT MATERIAL

- Hardened steel cutting blades.
- Ice shredders and rubber or plastic lower edges.
- Flaps are spring loaded.



SPECIAL CLEARING BUCKET	230 SC
Width, cm	230
Width max., cm	392
Depth (max. inside), cm	109
Height (max. inside), cm	98
Volume heaped, m³	1,41
Volume struck, m³	1,14
Weight (with plow wing), kg	700**
Weight (without plow wing), kg	660**

*** Welded hook contains hook set
and hoses for Quicke loader


Available accessories:
Plow wing (right and left hand)
Cutting edge HB500
Cutting edge plastic
Cutting edge serrated
4th electric function kit
available for all loader types



BoH
M16L

XH High Tip Bucket

Well suited for front loaders, increases the
loading height with more than 2.2m.



Precision Bucket

ALLOWS PIN POINT ACCURACY

- Releases material with high precision.
- Two available variants, both conical and straight.
- Cutting edge is in good view of the operator.

PRECISION BUCKET	200 PS	200 PC	250 PS	250 PC	
Width, cm	114,5	54,5	115	86,5	
Depth (max. inside), cm	198,5	198,5	249	249	
Height (max. inside), cm	61,5	61,5	76	76	
Volume heaped, m³	0,93	0,87	1,69	1,54	
Volume struck, m³	0,87	0,71	1,55	1,40	
Weight, kg	302	271	577	566	



Euro
SMS
Volvo
BM
Large (250)

Grading Bucket

WHEN GRADING AND LEVELLING, THIS IS THE PROFESSIONALS CHOICE

- Low back and long bottom.
- Cutting edge in the back.
- Cutting edge is in good view of the operator.

GRADING BUCKET	180	200	220	240
Width, cm	184	204	224	244
Depth (max. inside), cm	109	109	109	109
Height (max. inside), cm	48	48	48	48
Volume heaped, m³	0,62	0,70	0,78	0,86
Volume struck, m³	0,44	0,49	0,52	0,58
Weight, kg	282	308	333	402



Euro
SMS

Grading Bucket XL

THE LARGER AND HEAVIER VERSION OF OUR POPULAR GRADING BUCKET

- All-round bucket.
- Optional spill guard.
- Optional bucket extension.

GRADING BUCKET XL	220 XL	240 XL	260 XL	280 XL	300 XL
Width (outside gables), cm	220,6	242,6	262,5	282,8	302,4
Depth (max. inside), cm	118	118	137,5	137,5	152,5
Height (max. inside), cm	54,5	54,5	54,5	54,5	54,5
Volume heaped, m³	1,05	1,15	1,56	1,69	1,97
Volume struck, m³	0,79	0,87	1,14	1,23	1,97
Weight, kg	646	683	900	945	1151



Available accessories:
Spill guard
Bucket extension



Volvo
BM
Large

Grading Bucket S

A GRADING BUCKET DESIGNED FOR YARD LOADERS AND COMPCAT WHEEL LOADERS

- Ideal for Yard Loaders.
- Available with most common Yard Loader hook types.
- Snow extension available as accessory.

GRADING BUCKET S	100	120	140	160
Width (outside gables), cm	98	118	138	158
Depth (max. inside), cm	83	83	83	83
Height (max. inside), cm	40	40	40	40
Volume heaped, m³	0,22	0,275	0,33	0,385
Volume struck, m³	0,153	0,186	0,219	0,252
Weight*, kg	110	125	160	177



Euro
SMS
Kramer Compact
Avant

* depending on hook

Stone Fork

PICK UP, CLEAN AND TRANSPORT STONES

- Three sizes for front loaders and three for wheel loaders.
- Mounted at the front end are hardened tines which point slightly downwards.
- Available with 3-point linkage.

STONE FORK	150	200	230
Width, cm	156	200	222
Depth, cm	111	111	111
Height, cm	85	85	85
Number of tines	15	19	21
Tines profile width in front, mm	25	25	25
Distance round profile, mm	80	80	80
Strength round profile, mm	30	30	30
Weight, kg	242	318	348



Available accessories:
Hook
3-point-linkage



Euro
SMS


BoH
60x80

Stone Fork XL

PICK UP, CLEAN AND TRANSPORT STONES

- Tines are made of extra abrasion-resistant steel.
- Three sizes for front loaders and three for wheel loaders.
- Optional prying bar on the back of the fork.

STONE FORK XL	230	250	280
Width, cm	231,5	255,5	279,5
Depth, cm	159,5	159,5	159,5
Height, cm	80,5	80,5	80,5
Number of tines	20	22	24
Tines profile width in front, mm	35	35	35
Distance round profile, mm	80	80	80
Strength round profile, mm	40	40	40
Weight, kg	730	876	942



Available accessories:
Loosening pin for BOH Models
3-point-linkage

The prying bar add-on enables you to unearth difficult stones, by angling the implement and prying them loose.



Volvo
BM
Large

BoH
80x80XL

Scan to see
it in action!





MANURE & SILAGE

We have had seven decades to perfect our manure and silage implements. We have spent those years adjusting and fine tuning, learning that results are in the details. It has been about finding the perfect spacing of tines that will eliminate *spillage*, finding the cutting knives that gives the cleanest cut and the best shape of shells. But beyond details we have the big picture. For what you see is what you get - innovative silage implements that make you work more effectively and reduces handling time.



HENRIK JÖNSSON
PRODUCT MANAGER IMPLEMENTS

“We pride ourselves on the strength, quality and durability of our products, and the manure and silage implements are no different. We tirelessly continue to work to complement our offer, perfecting details, both in terms of large and small implements, for all kinds of machines.”

Powergrab™

FOR GRABBING OF SILAGE AND OTHER MATERIALS COMBINED WITH SCOOPING

- Close spacing of tines.
- Works well for handling litter and feed.
- Produces the cleanest cut.

POWERGRAB™ S	185	210	240	260
Width, cm	185	210	240	260
Depth, cm	82	82	82	82
Volume, m³	1,0	1,15	1,30	1,40
Cutting edge (WxT), mm	150 x 20	150 x 20	150 x 20	150 x 20
Weight, kg	540	650	690	780



** Additional bolted cutting edge.
B x S 200 x 20 mm.
*** Welded hook contains hook set and hoses for Quicke loader



BoH
Rail S/L

Powergrab™ XL

THE LARGER VERSION OF POWERGRAB

- For grabbing and handling of silage.
- For use with 3-5 tons lift capacity loaders.
- With a bolt on cutting edge.

POWERGRAB™ XL	220	240	260	280
Width, cm	220	245	260	280
Depth, cm	126	126	126	126
Volume, m³	2,0	2,3	2,4	2,6
Max. opening, cm	200	200	200	200
Weight, kg	1215	1367	1404	1512
Turnable cutting edge, mm	250 x 25	250 x 25	250 x 25	250 x 25



Available accessories:
Hose kit Quicke loader
Pressure relief
Load-hold/Pressure relief valve



Bolt on cutting edge, BCE
The welded cutting edge is pre-drilled for a bolt on cutting edge.



BoH
Rail S/L



Silocut M+


WELL PROVED SHEAR GRAB WELL SUITED FOR FRONT LOADERS, COMPACT WHEEL LOADERS AND MID-SIZE TELEHANDLERS.


- Cuts cleanly in the silage clamp.
- Perfect size and capacity for front loaders, telehandlers and lighter wheel loaders.
- Features 80x80 Bolt on hooks and accessories.

SILOCUT M+ (F AND P VERSION)	125**	150	175	200	225
Working width, cm	125	150	175	200	225
Opening height total, cm	133	133	133	133	133
Opening, cm	77	77	77	77	77
Height total, cm	98	98	98	98	98
Depth inside until implement back, cm	68	68	68	68	68
No. of cylinders	2	2	2	1-2	3
Cylinder sizes	90/40	100/50	110/50	90/40-100/50	100/50
Volume, m³	0,8	0,95	1,1	1,25	1,4
No. of tines	10	12	14	16	18
Weight*, kg (forged)	461	507	543	720	759
Weight*, kg (profiled)	476	528	609	751	790


Available accessories:
Back screen
Hose kits
Pressure relief valve
Load-hold/Pressure relief valve

* without Bolt on Hooks
**Only available as forged tine version.






F = Forged tine version



P = Profiled tine version



Sharp knives are key to high efficiency when working with silage. By having a clean cut, it prevents the admission of air and generation of heat, critical for feed quality. Should the knives lose their sharpness, they are – like every other part, big or small – easy to replace.



Replaceable bolt on parking stand. The design is discrete and incorporates chamfers to cut easy through silage



over 210 bar
Pressure relief valve needed



Silocut XL+

FOR CUTTING SILAGE USING HEAVIER MACHINES

- High-capacity shear grab with tines or bucket.
- Cuts both silage and bales.
- Available with 80x80 XL BoH system and optional Bale Wrap Handler and Push out.

SILOCUT XL+	225	250
Working width, cm	225	250
Opening height total, cm	187-192	187-192
Opening, cm	125-128	125-128
Height total, cm	139	139
Depth inside until implement back, cm	84-94	84-94
No. of cylinders	2	2
Cylinder sizes	125/60	125/60
Volume, m³	2,4	2,7
No. of tines	18	20
Cutting edge WxT, mm	220 x 20	220 x 20
Weight*, kg (forged)	1381	1498
Weight*, kg (profiled)	1469	1615
Weight*, kg (bucket)	1498	1632

* without Bolt on Hooks

Available accessories:
Hydraulic push-out for forged- and profiled tine version
Pressure relief valve
Load-hold/Pressure relief valve





The 80x80 XL hook system was developed to accommodate the heavier implements. The first implement compatible with this system is the Silocut XL.



Example pictures showing the three different variants:



Available accessories:



Silocut L+

VERSATILE SHEAR GRAB FOR CUTTING SILAGE FROM SILAGE CLAMP AND SPLITTING BALES

- Versatile shear grab with tines or bucket.
- Cuts both silage and bales.
- Bale Wrap Handler and Push Out available as accessories.

SILOCUT L+	175	200	225	250
Working width, cm	175	200	225	250
Opening height total, cm	178-184	178-184	178-184	178-184
Opening, cm	126	126	126	126
Height total, cm	125	125	125	125
Depth inside until implement back, cm	83	83	83	83
No. of cylinders	2	2	2	2
Cylinder sizes	110/50	125/60	125/60	125/60
Volume, m3	1,4	1,6	1,8	2,0
No. of tines	14	16	18	20
Cutting edge WxT, mm (bucket)	150x80	150x80	150x80	150x80
Weight*, kg (forged)	928	967	1032	1105
Weight*, kg (profiled)	916	955	1020	1093
Weight*, kg (bucket)	908	1028	1148	1268

Available accessories:
Bale Wrap Handler
(1) Hydraulic push-out for forged- and profiled tine version
Pressure relief valve
Load-hold/Pressure relief valve
Sequencer Valve
* without Bolt on Hooks



Example pictures showing the three different variants:



Available accessories:



Multibenne S+

A HIGHLY VERSATILE BUCKET GRAB FOR YARD LOADERS AND SMALLER COMPACT WHEEL LOADERS

- Design optimized for Yard loaders and Compact wheel loaders.
- Handles all types of feed, silage and manure.
- Available with various accessories and BoHs.

MULTIBENNE S+	90	100	120	140	160	
Width, cm	90	100	120	140	160	
Depth, cm	86	86	86	86	86	
Volume, m³	0,38	0,43	0,52	0,62	0,71	
Number of tines	5	5	6	7	8	
Weight, kg	168	176	224	274	298	

Scan to see it in action!



BoH
M16 S

Multibenne M+

A HIGHLY VERSATILE BUCKET GRAB FOR FRONT LOADERS, COMPACT WHEEL LOADERS AND UP TO MID-SIZE TELEHANDLERS

- Multi functional Implement for Silage and manure handling.
- Size and dimensions are ideal for use with Front loaders, Compact wheel loaders and up to mid-size Telehandlers.
- Available with accessories and M16 L BoHs makes this Implement available for various material handlers.

MULTIBENNE M+	130	150	170	190	210	230	250
Width, cm	130	150	170	190	210	230	250
Depth, cm	80	80	80	80	80	80	80
Number of tines	7	8	9	10	11	12	13
Volume, m³	0,66	0,76	0,86	0,96	1,07	1,17	1,27
Weight, kg	280	304	360	386	423	447	477



Euro
SMS


BoH
M16 L

Multibenne XL

FOR ALLROUND GRABBING AND SCOOPING IN A LARGER FORMAT

- Durable implement with high capacity.
- Conical design for optimum filling and emptying.
- With a bolt on cutting edge.

MULTIBENNE XL	190	210	230	250	
Width, cm	190	210	230	250	
Depth, cm	94,5	94,5	116,5	116,5	
Height, cm	65	65	80	80	
Volume, filled and closed, m³	1,0	1,16	1,74	1,85	
Weight without hooks, F-tines, kg	615	670	881	932	
Weight without hooks, P-tines, kg	620	675	890	940	
Cutting edge 3 piece, bolted W x T, mm	190 x 20	190 x 20	250 x 25	250 x 25	



over 250 bar
Pressure relief valve
needed
Available tines in the top frame
P = Profile tines welded
F = forged tines cone (Model 190/210 cone 1, Model 230/250 cone 2)
forged tine, bent

Euro
SMS

BoH
Rail S/L

Scan to see our
Multibenne Range!



Silograb S+

A HIGHLY VERSATILE FORK GRAB FOR YARD LOADERS AND SMALLER COMPACT WHEEL LOADERS

- Design optimized for Yard loaders and Compact wheel loaders.
- Excellent penetration into both silage and manure.
- Available with Bolt On Hooks.

SILOGRAB S+	90	110	130	150	
Width, cm	95	115	135	155	
Depth, cm	87,5	87,5	87,5	87,5	
Volume, m³	0,43	0,52	0,62	0,71	
Number of tines	5+5	6+6	7+7	8+8	
Weight*, kg	165	213	245	277	

* without hooks



Scan to see it in action!



BoH
M16 S

Silograb M+

A HIGHLY VERSATILE FORK GRAB FOR FRONT LOADERS, COMPACT WHEEL LOADERS AND UP TO MID-SIZE TELEHANDLERS

- Implement perfect for Silage and manure handling.
- Size and dimensions are ideal for use with front end loaders, and compact wheel loaders.
- Available with M16 L BoHs allowing this Implement to be used by many material handlers.

SILOGRAB M+	130	150	170	190	210	230	250
Width, cm	130	150	170	190	210	230	250
Depth, cm	85	85	85	85	85	85	85
Volume, m³	0,69	0,79	0,90	1,01	1,11	1,22	1,33
Number of tines, mm	7+7	8+8	9+9	10+10	11+11	12+12	13+13
Weight, kg	250	270	300	320	355	377	405

BoH
M16 L

Euro
SMS



Silograb XL

GRABBING SOFT MATERIAL ON A LARGER SCALE

- Large heavy design.
- Welded sleeves and forged tines.
- Heavy duty implement with a long service life.

SILOGRAB XL	190	210	230	250
Width, cm	190	210	230	250
Depth, cm	120	120	140	140
Volume, m³	1.0	1.1	1.7	1.9
Height closed, cm	104	104	190	190
Height open, cm	185	185	190	190
Number of tines	10	11	12	13
Weight without hooks, F-tines, kg	619	667	851	900
Weight without hooks, P-tines, kg	560	600	750	800



Bolted

Welded

Available accessories:
Cover for see through holes
Spill guard
Pressure relief valve
Load-holding/Pressure relief valve



P = profile tines welded
F = forged tines cone 2 bolted

BoH
Rail S/L



Scan to see our Silograb Range!



Manure Fork M+

SIMPLE HANDLING OF MANURE FOR FRONT END LOADERS, SMALL TO MID TELEHANDLERS AND COMPACT WHEEL LOADERS

- Simple and effective handling of Manure and other soft materials.
- Ideal for use with front end loaders, and compact wheel loaders.
- M16 BoH prepared.

MANURE FORK M+	130	150	170	190	230
Width, cm	130	150	170	190	230
Depth, cm	85	85	85	85	85
Number of tines, 820, mm	7	8	9	10	12
Weight, kg	123	136	152	65	203



Euro
SMS
Type 3


BoH
M16 L

Manure Fork XL

FOR HANDLING OF MANURE AND OTHER SOFT MATERIALS FOR LARGER MACHINES

- Large heavy design.
- Welded sleeves and forged tines.
- Heavy duty implement with a long service life.

MANURE FORK XL	190	210	230	250
Width, cm	187	209	229	249
Depth, cm	85	85	111	111
Number of tines, mm	10	11	12	13
Length of tines, Konus 2, mm	995	985	1240	1240
Weight, kg	324	353	458	488



Bolted

BoH
Rail S/L

Available accessories:
Hook
Coverage for Implement back
Spill Guard



Scan to see our Manure Fork Range!



SELECT THE BEST EQUIPMENT

Our implements for bales are characterised by heavy-duty bearings in the implement arms, large gripping surfaces that distribute the pressure optimally as well as no sharp edges. We accept no compromise – quality must come first.

www.quicke.nu





BALE HANDLING

Our wide selection of bale handling equipment simplifies your work and makes you more productive. We offer a number of different tools for handling bales in different ways. You might want an implement that can handle both square and round bales or an implement that handles bales from the bottom and can deal with plastic bales as well as hay bales. Or why not an implement that splits bales? No matter your preconditions or desires, we have the right tool for you.



ERIC LENNARTSSON
MILK FARMER IN SWEDEN

This is Eric, one of our many test pilots. When we develop new implements, and improve our existing ones, we use farmers all over the world to test and verify the products. That way, we make sure that our products fulfil the needs of our customers on all our markets.

Unigrip™

UNIGRIP HAS WELL PROVEN DESIGN AND A LOW NET WEIGHT

- For low weight and flexibility.
- Arm profile perfectly designed for reaching bales stacked close together.
- No sharp edges, perfect for plastic bales.

UNIGRIP™	130	160
Bale size min. – max., cm	90 – 130	120 – 160
Weight, kg	200	240

Available accessories:
Hook
Hose kit Quicke loader
Pressure relief valve
Load-holding/Pressure relief valve



Flexigrip™

FLEXIGRIP IS A HEAVY DUTY IMPLEMENT WITH SOME HELPFUL FEATURES

- Perfect for stacking upright bales.
- Uniquely curved and rounded shapes.
- 90mm tubes.

FLEXIGRIP™	160	200
Bale size min. – max., cm	120 – 160	150 – 200
Weight, kg	262	287

Available accessories:
Hook
Hose kit Quicke loader
Pressure relief valve
Load-holding/Pressure relief valve



Flexibal®

FLEXIBAL IS A STRONG AND VERY FLEXIBLE IMPLEMENT

- With small or larger diameter rollers.
- Doubles as a bale fork when rollers are removed.
- Minimising risk of damage.

FLEXIBAL	89 MM PIPE PROFILE	127 MM PIPE PROFILE
Bale size max., cm	180	180
Weight, kg	195	195

Available accessories:
Hook
Hose kit Quicke loader
Pressure relief valve
Load-holding/Pressure relief valve



Quadrogrip TS®

NARROW FRAME AND TELESCOPIC DESIGN REDUCES THE SPACE REQUIRED

- Ideal for square bales in most sizes.
- Telescopic design makes it perfect in narrow spaces.
- Available with various accessories, e.g. Load holding valve.

QUADROGRIP TS	135CM ARMS	160CM ARMS
Height, cm	53,5	53,5
Bale size, max., cm	200	200
Bale size, min., cm	65	65
Width fully closed, cm	175	175
Width fully extended, cm	251	251
Depth total, cm	180	205
Weight, kg	420	428
Carrying capacity, kg	1500	1500

Available accessories:
Back stop (1.)
Pressure restrictor
Pressure restrictor & load holding valve (2.)
Flow divider (3.)*
Hose kit Quicke loader

* Flow divider option:
To synchronise arm movement on tractors with low hydraulic flow



Shims in stainless steel in thickness 0,5mm and 0,7mm to minimize gap between plastic and arm.

Plastic Ertalon LFX wear pad, self lubricating nylon plastic with improved wear resistance.

Topgrip

TOPGRIP PROPOSES A UNIQUE WAY OF HANDLING ROUND OR SQUARE BALES

- For round and square bales.
- No sharp edges, perfect for plastic bales.
- For re-handling bales that are stacked closely together.

TOPGRIP	120
Bale size min. – max., cm	54 – 103
Weight, kg	195

Available accessories:
Hook
Hose kit Quicke loader
Pressure relief valve
Load-holding/Pressure relief valve




Scan to see it in action!



over 210 bar
Pressure relief valve needed

BoH
80x80



WE’VE GOT SPARE PARTS CLOSE BY EVEN WHEN YOU’RE FAR AWAY

Spare parts are available for everything from the biggest to the tiniest detail on the implement, and we’ve got them close by. Our world-leading distribution network guarantees proximity to you, no matter where you are.

All you need to do is contact your local dealer.

Original Parts by Alo



BALE FORKS

Our wide selection of bale handling equipment simplifies your work and makes you more productive. We offer a number of different tools for handling bales in different ways. No matter your preconditions or desires, we have the right tool for you.



HENRIK JÖNSSON
PRODUCT MANAGER IMPLEMENTS

As the responsible product manager for implement development I am always looking for ways to improve our bale handling equipment, to help our customers on their farms in the best possible way. This we assure through intensive field testing before our products are being launched on the market.


Bale Fork S+ 115

BALE FORK IDEAL FOR LIGHTER MATERIAL HANDLERS

- Simple and robust.
- Well suited for yard loaders and smaller front end loaders.
- Chose up to three Q-tines in different lengths.

BALE FORK S+ 115	115
Width, cm	115
Height, cm	100
Max. load capacity, kg	1000
No. of tines, Cone 2	Up to 3
Weight*, kg	98,5

Available tine sets:
Tine set 2 pieces: 82 cm / 124 cm
Tine set 3 pieces: 82 cm / 124 cm
* Weight without tines



Bale Fork M 140

THE SIMPLE WAY OF HANDLING SQUARE AND ROUND BALES

- For transporting straw and hay bales.
- Can carry up to two bales.
- Not for plastic bales.

BALE FORK M 140	140
Width, cm	140
Length, cm	82
No. of tines, Konus 2	Up to 5
Weight, kg	78

Available tine sets:
Tine set 2 pieces: 82 cm / 124 cm
Tine set 3 pieces: 82 cm / 124 cm
Tine set 4 pieces: 82 cm / 124 cm
Tine set 5 pieces: 82 cm / 124 cm
* Weight without tines

Available accessories:
Frame extension




Bale Fork M 180

BALE FORK WITH HIGHER CAPACITY AND WITH SUPPORT TO STACK AN ADDITIONAL BALE

- Wide frame with up to five Q-tines.
- High back frame provides stability for second bale.
- Welded Euro hooks makes it perfect for front loaders.

BALE FORK M 180	180
Width, cm	180
Height, cm	140
Max. load capacity, kg	2000
No. of tines, Cone 2	Up to 5
Weight*, kg	135

Available tine sets:
Tine set 2 pieces: 82 cm / 124 cm
Tine set 3 pieces: 82 cm / 124 cm
Tine set 4 pieces: 82 cm / 124 cm
Tine set 5 pieces: 82 cm / 124 cm
* Weight without tines



Bale Fork L 200


BALE FORK WITH HIGH CAPACITY IDEAL TO MOUNT EITHER ON FRONT- OR REAR 3-POINT HITCH

- Robust wide frame.
- Can be used for both round and square bales.
- Allows mounting to the tractors front and rear hitch of tractor as well to front loaders.

BALE FORK L 200	200
Width, cm	200
Height, cm	102
Max. load capacity, kg	2500
No. of tines, Cone 2	Up to 5
Weight*, kg	170

Available tine sets:
Tine set 2 pieces: 82 cm / 124 cm
Tine set 3 pieces: 82 cm / 124 cm
Tine set 4 pieces: 82 cm / 124 cm
Tine set 5 pieces: 82 cm / 124 cm

* Weight without tines



Bale Fork L+ 150 (fixed tines)

BALE FORK FOR THE FARMER WITH HIGH DEMAND ON EFFICIENCY


- High capacity Bale fork with fixed tines.
- Available with accessories to further increase your productivity.
- Ideal for large front loaders, Telehandlers and Wheel loaders.

BALE FORK L+ 150 (FIXED TINES)	150
Width, cm	152,5
Height, cm	116,5 – 184
Max. load capacity, kg	2000
No. of tines, Cone 2	Up to 5
Weight*, kg	98,5

Available tine sets:
Tine set 2 pieces: 82 cm / 124 cm
Tine set 3 pieces: 82 cm / 124 cm
Tine set 4 pieces: 82 cm / 124 cm
Tine set 5 pieces: 82 cm / 124 cm

* Weight without tines

Available accessories:
Telescopic extensions
Top beam



Bale Fork L+ 150 (folded tines)

BALE FORK FOR THE FARMER WITH HIGH DEMAND ON EFFICIENCY

- High capacity Bale fork with foldable tines.
- Available with accessories to further increase your productivity.
- Ideal for large front loaders, Telehandlers and Wheel loaders.

BALE FORK L+ 150 (FOLDED TINES)	150
Width, cm	152,5
Height, cm	116,5 – 184
Max. load capacity, kg	2000
No. of tines, Cone 2	Up to 5
Weight*, kg	122

Available tine sets:
Tine set 2 pieces: 82 cm / 124 cm
Tine set 3 pieces: 82 cm / 124 cm
Tine set 4 pieces: 82 cm / 124 cm
Tine set 5 pieces: 82 cm / 124 cm

* Weight without tines

Available accessories:
Telescopic extensions
Top beam
Hydraulic control of foldable tines



Bale Fork XL+ 200


FOR TRUE PROFESSIONAL USERS PROVIDING HIGHEST BALE CARRYING CAPACITY

- The professionals choice with highest capacity.
- Available with many accessories to further increase your productivity.
- Perfect for Telehandlers and Wheel loaders.

BALE FORK XL+ 200	200
Width, cm	200
Height, cm	175 – 295
Max. load capacity, kg	2500
No. of tines, Konus 2	Up to 5
Weight*, kg	157

Available tine sets:
Tine set 2 pieces: 82 cm / 124 cm
Tine set 3 pieces: 82 cm / 124 cm
Tine set 4 pieces: 82 cm / 124 cm
Tine set 5 pieces: 82 cm / 124 cm
* Weight without tines

Available accessories:
Telescopic extensions
Top beam
Hydraulic control of foldable tines
Supporting tines to main frame
Top grab



Bale Fork XL+ 200 has three settings:
1. Transport, tines locked in parallel with back frame.
2. Free floating within slotted hole.
3. Parking, tines locked 90° towards back frame.

BoH
80x80

Top grab has large working angle increasing its use. Since Top grab tines are curved they secure the stack of bales also when coming from the back. Thanks to the integrated design it works perfect also inside the bale shed.



Top grab secures the stack of bales by pressing the upper bale downwards. This feature allows more safe and faster transport on the field to increase productivity. Top grab can be adjusted in height depending on requested bale stack height and can be used to both penetrate bale from above or from the back.



Bale Spike

THE SIMPLE AND CLASSIC WAY TO HANDLE ROUND BALES

- To handle round bales.
- Longer tine to safely transport the bale.
- Shorter tines stops bale from rotating.

BALES SPIKE

Width, cm	115
Tines length, cm	124
Weight, kg	115

Available accessories:
Hook



BoH
40x80

Silosplit®

SPLITS AND TRANSPORTS BALES

- Easiest way of cutting bales.
- Can transport and split bales.
- Doubles as a bale spike.

SILOSPPLIT

120

Width, cm	120
Cutter length, cm	170
Weight, kg	110



BoH
40x80



LIFTING IMPLEMENTS

Pallet forks and big bag lifters, with plenty of accessories to meet your specific needs and tasks. When you choose lifting implements from Quicke, you choose maximum productivity and comfort.



LARS JOHANSSON
MECHANICAL DESIGNER

As the responsible designer for hook systems and also heavily involved in other projects, like the lifting implements, I am always looking for ways to improve our line of implements and fulfil the needs of our customers, the farmers. It is important that we stay close and connected to them, to make sure we provide them with ways to work smarter, not harder.

Pallet Fork C Frame Size 1154mm UP TO 800kg

PALLET FORK C FOR COMPACT TRACTOR LOADERS

- Designed with low weight and capacity perfected for compact tractor loaders.
- See through design for full control of your work.
- Available with Euro, Skid steer and pin on.

PALLET FORK C FRAME SIZE 1154MM UP TO 800KG

Width FRAME Type FEM II, cm	115,4	
Fork tines Type FEM II B, kg	800	
Length, mm	800	1060
Dimension of tines, mm	80x32	80x32
Weight (differ by hook), kg	97	107

Available hooks for Pallet fork C frame 115 cm width:
Euro, Skid Steer, Pin on (only for Quicke C-Series loader)



Pallet Fork S Frame Size 1000mm UP TO 2500kg For Yard/Compact Loader

PALLET FORK S IDEAL FOR NARROW BUILT MATERIAL HANDLERS

- Narrow design for easy access in limited spaces.
- See through design for full control of your work.
- Available with the most common hook types.

PALLET FORK S FRAME SIZE 1000MM UP TO 2500KG FOR YARD COMPACT LOADER

Width* FRAME Type FEM II, cm	100		100		
Fork tines Type FEM II B, kg	1000		1600		2500
Length, mm	970	1220	970	1220	1220
Dimension of tines, mm	80x32	80x32	80x40	80x40	100x40
Weight (differ by hook), kg	112	122	130	136	157


Available accessories:
Bale spike

Available hooks for Pallet fork S frame 100 cm width:
SMS, Avant, Giant, Kramer Compact, Weidemann, Schäffer Standard (SHW), Schäffer Hoftrack, Zettelmeyer 402/Volvo L20

*Frame width Euro hook 120 cm



Scan to see it in action!



Bale spike

Pallet Fork S EURO Size 1200mm

Pallet Fork M Frame Size 1400mm UP TO 2500kg

PALLET FORK M IDEAL FOR FRONT END LOADERS AND COMPACT WHEEL LOADERS

- 1,4 m wide frame makes it versatile in various AG tasks.
- See through design for full control of your work.
- Available with various accessories to increase use further.

PALLET FORK M FRAME SIZE 1400MM UP TO 2500KG

Width FRAME Type FEM II, cm	140		140		
Fork tines Type FEM II B, kg	1000		1600		2500
Length, mm	970	1220	970	1220	1220
Dimension of tines, mm	80x32	80x32	80x40	80x40	100x40
Weight (differ by hook), kg	157	167	169	181	202

Available accessories:
Log grab / hydraulic grab
Bale spike
Adapter for hydraulic tines adjustment

Available hooks for Pallet fork M frame 140 cm width:
Euro, SMS, MX, Skid Steer, Alo Type 3, Alo Compact, Weidemann, Zettelmeyer 602/Volvo L30, Zettelmeyer 402/Volvo L20, Kramer Short, Schäffer Standard (SHW), Dieci Small



Pallet Fork L 3500kg + 5000kg Frame Size 1200mm and 1500mm

PALLET FORK L IS IDEAL FOR TELEHANDLERS AND WHEEL LOADERS


- For heavy load applications.
- 1,2 and 1,5 meter frame width makes it perfect regardless machine type.
- Available with fork extensions.

PALLET FORK L 3500KG + 5000KG FRAME SIZE 1200MM AND 1500MM

Width FRAME Type FEM III, cm	120	150	120	150
Fork tines Type FEM III B, kg	3500	3500	5000	5000
Length, mm	1220	1500	1220	1500
Dimension of tines, mm	125x45	125x45	150x50	150x50
Weight (differ by hook), kg	278	304	333	363
ACCESSORIES:				
Tine extension, mm	<2000	<2500	<2000	<2500

Available accessories:
Tine extension

Available hooks for Pallet fork L:
Bobcat / FDI / MF, Caterpillar CAT TH, Claas Scorpion, CNH LM, Dieci medium, Dieci large, Euro, JCB Q-Fit, JLG / Deutz Fahr, Kramer High, Manitou MLT, Matbro Pin and Cone, Merlo ZM2, Merlo, Merlo ZM3 3PIN, Schäffer Standard (SHW), Schäffer HD (Type KR), Volvo BM large, Weidemann, Weidemann 50-50, Zettelmeyer 602/Volvo L30



Tine extension

Pallet Fork XL 8000kg Frame Size 2000mm

PALLET FORK XL IS THE PERFECT CHOICE FOR HEAVY LOADS


- For heavy load applications.
- 2 meter wide frame to support various types of material handling.
- Available with fork extensions.

PALLET FORK XL 8000KG FRAME SIZE 2000MM

Width FRAME Type FEM III, cm	200	
Fork tines Type FEM III A, kg	8000	
Length, mm	1220	1500
Dimension of tines, mm	150x65	150x65
Weight (differ by hook), kg	532	576
ACCESSORIES:		
Tine extension, mm	<2000	<2500

Available accessories:
Tine extension

Available hooks for Pallet fork XL:
VOLVO BM Large, JCB Q-FIT, Claas Scorpion, Manitou MLT, Merlo ZM3 3Pin



Tine extension



Big Bag Lifter

FOR SECURE HANDLING OF BIG BAGS

- Three different models; Single, Dual and Triple.
- For all big bag handling scenarios.
- Bolted hooks add flexibility.

BIG BAG LIFTER	SINGLE	DUAL	TRIPLE
Width, cm	127	213	278
Height min., cm	164	170	170
Height max., cm	164	221	221
Max. load (each arm), kg	1000	1500	1500
Weight, kg	79	177	269

Big Bag Lifter single with BOH system 40 x 80

Big Bag Lifter DUAL, TRIPLE with BOH system 80 x 80



Scan to see our presentation!



3-point Linkage

SIMPLIFY YOUR WORK WHILE MOVING IMPLEMENTS AROUND THE FARM

- Can be used on the tractor's 3-point linkage to help move implements around the farm.
- Available with either Euro or SMS hooks.

3-POINT LINKAGE	230
Weight, kg	78



WE'VE GOT SPARE PARTS CLOSE BY EVEN WHEN YOU'RE FAR AWAY

Spare parts are available for everything from the biggest to the tiniest detail on the implement, and we've got them close by. Our world-leading distribution network guarantees proximity to you, no matter where you are.

All you need to do is contact your local dealer.

www.quicke.nu

Original Parts by Alo



Q-Bloq Counterweight

IMPROVE THE STABILITY OF YOUR TRACTOR

- Helps to improve stability and the distribution of weight.
- Possible to fit to both the rear and front hitch of tractors.
- The add on weight is secured by a locking bolt.

Q-BLOQ COUNTERWEIGHT	600	600 (ADD-ON)	900	1800
Weight, kg	600	600	900	1800



Q-Bloq 600 kg Add-on



Q-Bloq 900 kg



Q-Bloq 600 kg



Q-Bloq 1800 kg



Available accessories:
Available in Quicke black with Q logo in orange, AGCO grey, John Deere green*

Regulation – EN 12525:
No less than 20% of the gross tractor/loader weight must apply to the rear axle, including the counterweight.

Counterweight

IMPROVE THE STABILITY OF YOUR TRACTOR

- Connection and disconnection is simply done.
- Improves stability and the distribution of weight.
- Lower the loads on front wheels and axle.

COUNTERWEIGHT	800	1200
Weight, empty, kg	186	212
Weight filled, kg	800	1200



STEFFEN STENGL
SALES COORDINATOR ÄLÖ GERMANY

The Quicke counterweights are an extremely useful piece of equipment to properly ballast your machine to maintain weight on the tractor's rear axle. The counterweight increases the stability for the tractor-loader unit.



THE SUPPORT

As an Quicke Implement owner, you can expect world-leading level of reliability and service. Your purchase does not end our commitment to you – it’s only the beginning.

Your Implement has to perform at its best for a long time. We have built up a strong global organisation with a comprehensive service network, giving you easy and fast access to locations for service, spare parts and knowledgeable support- wherever you operate in the world.

You can be sure that our service and support meets the same standard as our products – always aiming for 100 percent customer satisfaction. To us, second best is not enough.

ABSOLUTE CUSTOMER FOCUS. In order to support you as a customer, we have created routines that ensure all the departments in our organisation are focused on your requirements.

QUICK ONLINE HELP. You’ll have round-the-clock online access to spare part details, instructions and other important information.

TIGHT-KNIT SPARE PART NETWORK. Spare parts are available from our subsidiaries as well as from larger Quicke Implement representatives the world over.

PROXIMITY. Our world-leading distribution network guarantees proximity to you, no matter where you are. Global technical support. As an Quicke Implement customer, you always have access to prompt technical support. All over the world, our representatives can provide knowledgeable and high-quality service.



CONSTANT FOLLOW-UP. Your viewpoints and suggestions for improvement are gathered together and centrally processed. This follow-up functions as a valuable basis for us when developing implements. The development of Quicke Implement is the result of close cooperation with users all over the world.

HOOK SYSTEMS

A VARIETY OF HOOK SYSTEMS FOR A VARIETY OF LOADERS






Our implements can be used with a variety of hooks to attach them to different loading machines. The angle of the back of the implement and the working geometry of the loader influence the design of the hooks. We use the following systems:

- **40x80/80x80:** With U-bolts mounted at the back of the implement.
- **80x80 XL:** With U-bolts mounted at the back of the implement.
- **M16 S/L:** The hooks are welded on plates that are bolted to the back of the implement with 8 to 16 M16 bolts. These are used on the S and M implement range.
- **M24:** The hooks are welded on plates that are bolted to the back of the implement with 18 to 20 M24 bolts. These are used on the L and XL implement range.
- **Rail S/Rail L:** The implement has a rail section at the back plane on which the hooks are bolted.
- **Welded hooks.**

HOOK SYSTEMS FOR ANY MACHINE

When it comes to hooks and hook systems we have four main hook systems besides welding hooks to the implement. Depending on the design of the back of the implements there are different ways of fixing the hooks to the back. We have 40x80/80x80 mm beams where the hooks are bolted with U-bolts on a frame on the back of the implement. There is also larger version for the bigger implements called 80x80 XL. Furthermore, there is the Rail S and Rail L where the hooks are bolted to a rail and finally the new system BoH M24 where the hooks are bolted directly on to the back of our largest buckets.



40x80/80x80	 <div>Bale Spike MKII Big Bag Lifter Flexibal Flexigrip Quadrogrip Silocut M+ Silosplit Bale Fork (new range) Square Bale Fork- Safety Stone Fork Topgrip Unigrip XH Bucket</div>	RAIL S/RAIL L	 <div>SC Bucket Manure Fork XL Multibenne XL Powergrab S Powergrab XL Silograb XL</div>	80x80 XL	 <div>Silocut XL+ Stone Fork XL</div>
M24	 <div>Bucket SXL+ Bucket SL+ Bucket GXL+ Bucket GL+ Bucket VXL+ Bucket VL+</div>	M16 S/L	 <div>Bucket SM+ Bucket GM+ Bucket GS+ Multibenne S+ Multibenne M+ Silograb S+ Silograb M+</div>		





Quicke

Member of JOST World

Ålö AB

Brännland 300, SE-901 37 Umeå, Sweden

Tel: +46 (0)90 17 05 00

marketing@alo.se

www.quicke.nu

Version January 2022

**CLIMATE
COMPENSATED
PAPER**



Some front loaders in this brochure are fitted with extra equipment. Certain products may be optional extra equipment. Some of the products are not available on all markets. Product specifications and performance data stated can vary depending on the tractor model. Working with front loaders and accompanying implements is not without risk. Serious injuries to people and damage to materials can occur in the event of incorrectly carried out work. Show consideration to your surroundings, use common sense and comply with local laws and regulations. Always read carefully through the instruction manual supplied. Only use original spare parts and accessories. Ålö's product range is continually being developed. We reserve the right at any time to alter specifications, prices and versions with no obligation on our part. ®, ™ Trademarks of Ålö AB.